



- ① MOVEABLE DESK
- ② 760 mm HEIGHT TABLE
- ③ SINK
- ④ 915 mm HEIGHT TABLE
- ⑤ PHONE
- ⑥ AIR CONDITIONER
- ⑦ 150 mm DIA. VENTILATION PIPE ALONG CEILING
- ⑧ VENTILATION FAN
- ⌚ 110 VOLT OUTLET LOCATED 1.5 m FROM FLOOR
- ⌚ 220 VOLT OUTLET LOCATED 1.5 m FROM FLOOR
(15 AMP - NEMA L6-15R)
(15 AMP - NEMA 6-15R)
(50 AMP - NEMA 7-50R)

GENERAL NOTES:

ALL DIMENSIONS SHOWN ARE IN mm UNLESS OTHERWISE NOTED. DIMENSIONS ARE NOMINAL EXCEPT WHERE SHOWN AS MINIMUMS OR MAXIMUMS.

SUPERPAVE QC LABORATORIES PREVIOUSLY APPROVED BY THE ENGINEER ARE ACCEPTABLE.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION			
		SPECIAL FIELD LABORATORY	
DATE: _____	EFFECTIVE: 04-01-2002	M601.00	1/1